

How to Run a Job with a GPU

Let's run the gravitational N-body simulation found on the CUDA toolkit samples on a GPU. This example is suited for a standard *INCD* user eligible to use the ***hpc*** and ***gpu*** partitions.

“ The ***fct*** partition and included resources is meant for users with a *FCT* grant and although the request of GPUs is made on the same way, they have specific instructions to follow found at [FCT Calls](#)

“ The GPU's are only available at CIRRUS-A infrastructure on Lisbon.

Login on the user interface cirrus.ncg.ingrid.pt

```
$ ssh -l user cirrus.ncg.ingrid.pt  
[user@cirrus01 ~]$ _
```

Prepare your working directory

Prepare your environment on a specific directory in order to protect from inter job interferences and create a submission batch script: *** only works for Cuda 10.2

```
[user@cirrus01 ~]$ mkdir myworkdir  
[user@cirrus01 ~]$ cd myworkdir  
[user@cirrus01 ~]$ cat nbody.sh  
#!/bin/bash  
  
#SBATCH --partition=gpu  
#SBATCH --gres=gpu  
#SBATCH --mem=8192MB
```

```
COMMON=/usr/local/cuda/samples/common
SAMPLE=/usr/local/cuda/samples/5_Simulations/nbody

[ -d ../common ] || cp -r $COMMON ..
[ -d nbody    ] || cp -r $SAMPLE .

module load cuda
cd nbody
make clean
make

if [ -e nbody ]; then
  chmod u+x nbody
  ./nbody -benchmark -numbodies=2560000
fi
```

In this example we copy the n-body CUDA toolkit sample simulation to the working directory, load cuda environment, build the simulation and run it.

Requesting the partition

Standard *INCD* users at *CIRRUS-A* have access to the **gpu** partition providing NVIDIA Tesla-T4 GPUs. In order to access these GPUs request the **gpu** partition with directive:

```
#SBATCH --partition=gpu
```

The partition **ft** provide several types of NVIDIA: T4 and V100S (please check current resources available page). As a general rule and depending on the application, the types of GPUs available on the cluster are similar but the Tesla-V100S perform the same work in half the time when compared with the Tesla-T4. Nevertheless, if you request a Tesla-V100S you may have to wait for resource availability until you have a free Tesla-T4 ready to go.

If you only want a free GPU allocated for your job then the **#SBATCH --grep=gpu*** form would be the best choice.

Requesting the Tesla-T4 GPU

We request the allocation of one GPU NVIDIA Tesla-T4 through the option:

```
#SBATCH --gres=gpu:t4
```

Standard *INCD* users can access only NVIDIA Tesla-T4 GPUs, so we can simplify the request:

```
#SBATCH --gres=gpu
```

this way we ask for a GPU of any type, the same is valid on partitions with more than one type of GPU if we do not care about the type of allocated GPU to our job.

Requesting memory

Ensure enough memory for your simulation, follow the tips on *Determining Memory Requirements*(*page_to_be*) page.

On our example 8GB is sufficient to run the simulation:

```
#SBATCH --mem=8192M
```

Submit the simulation

```
[user@cirrus01 ~]$ sbatch nbody.sh  
Submitted batch job 1176
```

Monitor your job

You can use the **squeue** command line tool

```
[user@cirrus01 ~]$ gqueue  
JOBID PARTITION NAME    USER  ST STATIME      NODES CPUS TRES_PER_NODE NODELIST  
1176 gpu      nbody.sh user5  R RUN0-00:02:33 1    1  gpu:t4      hpc058
```

or use the command **sacct**, the job is completed when the *State* field mark is *COMPLETED*.

```
[user@cirrus01 ~]$ gacct  
JobID  JobName Partition Account AllocCPUS   ReqGRES   AllocGRES   State ExitCode  
-----  
1170   nbody.sh  fct      hpc      2  gpu:v100s:1    gpu:1 COMPLETED 0:0  
1171   nbody.sh  fct      hpc      2  gpu:t4:1       gpu:1 COMPLETED 0:0  
1175   teste.sh  fct      hpc      1                   COMPLETED 0:0  
1176   nbody.sh  gpu      hpc      1  gpu:1          gpu:1 COMPLETED 0:0
```

if the state is different from *COMPLETED* or *RUNNING* then check your simulation or request help through the email address helpdesk@incd.pt providing the *JOBID*, the submission script, the relevant slurm output files, e.g. *slurm-1176.out*, or other remarks you think it may be helpful

Check the results at job completion

```
[user@cirrus01 ~]$ ls -l
-rw-r-----+ 1 user hpc 268 Oct 22 13:56 gpu.sh
drwxr-x---+ 3 user hpc 4096 Oct 20 18:09 nbody
-rw-r-----+ 1 user hpc 611 Oct 22 13:41 slurm-1176.out

[user@cirrus01 ~]$ cat slurm-1176.out
...
> Windowed mode
> Simulation data stored in video memory
> Single precision floating point simulation
> 1 Devices used for simulation
GPU Device 0: "Turing" with compute capability 7.5

> Compute 7.5 CUDA device: [Tesla T4]
number of bodies = 2560000
2560000 bodies, total time for 10 iterations: 308586.156 ms
= 212.375 billion interactions per second
= 4247.501 single-precision GFLOP/s at 20 flops per interaction
```

Revision #7

Created 16 December 2020 10:12:35 by João Paulo Martins

Updated 7 March 2024 17:19:45 by João Pina